Printing date 09/06/2018 Reviewed on 09/06/2018

1 Identification

· Product identifier

· Trade name: Acetaldehyde 40% v/v

in Ultra-Pure Water

· Article number: THE467

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson sherman@aquasolutions.org

· Emergency telephone number:

Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 1 H224 Extremely flammable liquid and vapor.



GHS08 Health hazard

H351 Suspected of causing cancer. Carc. 2



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Acetaldehyde, Reagent ACS Grade

(Contd. on page 2)

Printing date 09/06/2018 Reviewed on 09/06/2018

Trade name: Acetaldehyde 40% v/v in Ultra-Pure Water

(Contd. of page 1)

· Hazard statements

Extremely flammable liquid and vapor.

Harmful if swallowed.

Causes serious eye irritation.

Suspected of causing cancer.

May cause respiratory irritation.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 4Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 4

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

Printing date 09/06/2018 Reviewed on 09/06/2018

Trade name: Acetaldehyde 40% v/v in Ultra-Pure Water

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangero	ous compo	onents:
-----------	-----------	---------

CAS: 75-07-0 Acetaldehyde, Reagent ACS Grade

34.355%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

65.646%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Printing date 09/06/2018 Reviewed on 09/06/2018

Trade name: Acetaldehyde 40% v/v in Ultra-Pure Water

(Contd. of page 3)

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 75-07-0 Acetaldehyde, Reagent ACS Grade	45 ppm
· PAC-2:	
CAS: 75-07-0 Acetaldehyde, Reagent ACS Grade	270 ppm
· PAC-3:	
CAS: 75-07-0 Acetaldehyde, Reagent ACS Grade	840 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 75-07-0 Acetaldehyde, Reagent ACS Grade

PEL Long-term value: 360 mg/m³, 200 ppm

REL See Pocket Guide Apps. A and C

TLV Ceiling limit value: 45 mg/m³, 25 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 5)

Printing date 09/06/2018 Reviewed on 09/06/2018

Trade name: Acetaldehyde 40% v/v in Ultra-Pure Water

(Contd. of page 4)

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties · General Information	
· Appearance:	
Form:	Liquid
Color:	Clear
· Odor:	Distinct
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	21 °C (69.8 °F)
· Flash point:	-40 °C (-40 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	140 °C (284 °F)
· Decomposition temperature:	Not determined.

(Contd. on page 6)

Printing date 09/06/2018 Reviewed on 09/06/2018

Trade name: Acetaldehyde 40% v/v in Ultra-Pure Water

	(Contd. of page
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	4 Vol %
Upper:	57 Vol %
Vapor pressure at 20 °C (68 °F):	1,008.5 hPa (756.4 mm Hg)
Density at 20 °C (68 °F):	0.92614 g/cm³ (7.72864 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	65.6 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	values	that are	relevant	for cl	lassification:
LULLUSU	vuiues	mui ui e	retevant	101 61	assuuauvu.

ATE (Acute Toxicity Estimate)		
Oral	LD50	1,965 mg/kg (rat)
Dermal	LD50	10,304 mg/kg (rabbit)

(Contd. on page 7)

Printing date 09/06/2018 Reviewed on 09/06/2018

Trade name: Acetaldehyde 40% v/v in Ultra-Pure Water

(Contd. of page 6)

CAS: 75-07-0 Acetaldehyde, Reagent ACS Grade

Oral LD50 500 mg/kg (ATE)

- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 75-07-0 Acetaldehyde, Reagent ACS Grade

2B

· NTP (National Toxicology Program)

CAS: 75-07-0 Acetaldehyde, Reagent ACS Grade

R

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

us ·

Printing date 09/06/2018 Reviewed on 09/06/2018

Trade name: Acetaldehyde 40% v/v in Ultra-Pure Water

(Contd. of page 7)

UN-Number DOT, IMDG, IATA UN1089 UN proper shipping name DOT IMDG, IATA Acetaldehyde solution ACETALDEHYDE solution Transport hazard class(es) DOT Class IADel Agriculture Class Alabel	477	
DOT, IMDG, IATA UN1089 LV proper shipping name DOT ACETALDEHYDE solution ACETALDEHYDE solution Transport hazard class(es) DOT Class Label 3 IMDG, IATA Class 1 Flammable liquids 3 Flammable liquids 3 Packing group DOT, IMDG, IATA Packing group DOT, IMDG, IATA I Environmental hazards: Not applicable. Special precautions for user Danger code (Kemler): 33 EMS Number: F-E,S-D Slowage Category E Transport in bulk according to Annex II of MARPOL/33/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L IMDG Limited quantities (LQ) Code: E3 Maximum net quantity per inner packaging: 30 ml	Transport information	
UN proper shipping name DOT IMDG, IATA ACETALDEHYDE solution Transport hazard class(es) DOT Class Class Label 3 IMDG, IATA Class 3 Flammable liquids 3 IMDG, IATA Class 3 Flammable liquids 3 - Packing group DOT, IMDG, IATA I Environmental hazards: Not applicable. Special precautions for user Danger code (Kemler): 33 EMS Number: F-E,S-D Stowage Category F Stowage Category F Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L IMDG Limited quantities (LQ) Code: E3 Maximum net quantity per inner packaging: 30 ml	· UN-Number	
- DOT - IMDG, IATA - ACETALDEHYDE solution - Transport hazard class(es) - DOT - Class - 3 Flammable liquids - 3 - IMDG, IATA - Class - 3 Flammable liquids - 3 - IMDG, IATA - Class - 3 Flammable liquids - 3 - IMDG, IATA - Class - 3 Flammable liquids - 3 - Packing group - DOT, IMDG, IATA - 1 - Environmental hazards: Not applicable Special precautions for user - Danger code (Kemler): 33 - EMS Number: F.E.S-D - Stowage Category E - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable Transport/Additional information: - DOT - Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L - IMDG - Limited quantities (LQ) 0 - Excepted quantities (EQ) Code: E3 - Maximum net quantity per inner packaging: 30 ml	· DOT, IMDG, IATA	UN1089
IMDG, IATA ACETALDEHYDE solution Transport hazard class(es) DOT Class Label IMDG, IATA Class Ja Flammable liquids IMDG, IATA Class Ja Flammable liquids The class Not applicable. Special precautions for user Danger code (Kemler): Ja Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L IMDG Limited quantities (LQ) Excepted quantities (LQ) Code: E3 Maximum net quantity per inner packaging: 30 ml	· UN proper shipping name	
Transport hazard class(es) DOT Class Class Label 3 IMDG, IATA Class 3 Immable liquids 3 Packing group DOT, IMDG, IATA I Environmental hazards: Not applicable. Special precautions for user Danger code (Kenler): Stowage Category F-E,S-D Stowage Category F-E,S-D Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L IMDG Limited quantities (LQ) Excepted quantities (LQ) Code: E3 Maximum net quantity per inner packaging: 30 ml		
Class 3 Flammable liquids Label 3 - IMDG, IATA - Class 3 Flammable liquids - Label 3 - Packing group - DOT, IMDG, IATA - Environmental hazards: Not applicable. - Special precautions for user - Danger code (Kemler): 33 - EMS Number: F-E,S-D - Stowage Category E - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. - Transport/Additional information: - DOT - Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L - IMDG - Limited quantities (LQ) 0 - Excepted quantities (EQ) Code: E3 - Maximum net quantity per inner packaging: 30 ml	· IMDG, IATA	ACETALDEHYDE solution
Class Label 3 Flammable liquids 3 TimDG, IATA Class A Flammable liquids 3 Flammable liquids 5 Faction group DOT, IMDG, IATA I Environmental hazards: Special precautions for user Danger code (Kemler): Special precautions for user F-E,S-D Sumber: F-E,S-D Stowage Category F-E,S-D Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E3 Maximum net quantity per inner packaging: 30 ml	· Transport hazard class(es)	
Label IMDG, IATA Class Class Jammable liquids Label Packing group DOT, IMDG, IATA I Environmental hazards: Not applicable. Special precautions for user Danger code (Kemler): 33 EMS Number: F-E,S-D Stowage Category E Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E3 Maximum net quantity per inner packaging: 30 ml	\cdot DOT	
IMDG, IATA Class 3 Flammable liquids Label 3 Packing group DOT, IMDG, IATA I Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids 33 EMS Number: F-E,S-D Stowage Category E Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L IMDG Limited quantities (LQ) 0 Excepted quantities (EQ) Code: E3 Maximum net quantity per inner packaging: 30 ml	RAMABLE LUDO	
· Class 3 Flammable liquids Label 3 - Packing group DOT, IMDG, IATA I - Environmental hazards: Not applicable. - Special precautions for user Warning: Flammable liquids Danger code (Kemler): 33 - EMS Number: F-E,S-D Stowage Category E - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. - Transport/Additional information: - DOT - Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L - IMDG - Limited quantities (LQ) 0 - Excepted quantities (EQ) Code: E3 - Maximum net quantity per inner packaging: 30 ml		
Class 3 Flammable liquids Label 3 Packing group DOT, IMDG, IATA I Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Danger code (Kemler): 33 EMS Number: F-E,S-D Stowage Category E Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L IMDG Limited quantities (LQ) 0 Excepted quantities (EQ) Code: E3 Maximum net quantity per inner packaging: 30 ml	· Label 	3
· Label Packing group DOT, IMDG, IATA I · Environmental hazards: Not applicable. · Special precautions for user Danger code (Kemler): Stowage Category F-E,S-D Stowage Category E · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L · IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E3 Maximum net quantity per inner packaging: 30 ml	· IMDG, IATA	
· Label 3 · Packing group · DOT, IMDG, IATA I · Environmental hazards: Not applicable. · Special precautions for user Warning: Flammable liquids · Danger code (Kemler): 33 · EMS Number: F-E,S-D · Stowage Category E · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: DOT · Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L · IMDG · Limited quantities (LQ) O · Excepted quantities (EQ) Code: E3 Maximum net quantity per inner packaging: 30 ml		
Packing group DOT, IMDG, IATA Environmental hazards: Not applicable. Special precautions for user Danger code (Kemler): Stowage Category F-E,S-D Stowage Category E Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E3 Maximum net quantity per inner packaging: 30 ml		<u>-</u>
DOT, IMDG, IATA Environmental hazards: Not applicable. Special precautions for user Danger code (Kemler): Stowage Category E Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E3 Maximum net quantity per inner packaging: 30 ml		
· Special precautions for user · Danger code (Kemler): · Stowage Category · Stowage Category · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code · Transport/Additional information: · DOT · Quantity limitations · On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) Code: E3 Maximum net quantity per inner packaging: 30 ml		I
 Danger code (Kemler): 33 EMS Number: F-E,S-D Stowage Category E Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L IMDG Limited quantities (LQ) O Excepted quantities (EQ) Code: E3	· Environmental hazards:	Not applicable.
 Danger code (Kemler): 33 EMS Number: F-E,S-D Stowage Category E Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L IMDG Limited quantities (LQ) 0 Excepted quantities (EQ) Code: E3	· Special precautions for user	Warning: Flammable liquids
• Stowage Category • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code • Transport/Additional information: • DOT • Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L • IMDG • Limited quantities (LQ) • Excepted quantities (EQ) Code: E3 Maximum net quantity per inner packaging: 30 ml		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L IMDG Limited quantities (LQ) 0 Excepted quantities (EQ) Code: E3 Maximum net quantity per inner packaging: 30 ml		
MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E3 Maximum net quantity per inner packaging: 30 ml	· Stowage Category	E
· DOT · Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) Code: E3 Maximum net quantity per inner packaging: 30 ml		
 Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E3 Maximum net quantity per inner packaging: 30 ml 	· Transport/Additional information:	
 Quantity limitations On passenger aircraft/rail: Forbidden On cargo aircraft only: 30 L IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E3 Maximum net quantity per inner packaging: 30 ml 	· DOT	
On cargo aircraft only: 30 L IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E3 Maximum net quantity per inner packaging: 30 ml		On passenger aircraft/rail: Forbidden
 · Limited quantities (LQ) · Excepted quantities (EQ) O Code: E3 Maximum net quantity per inner packaging: 30 ml 	~ -	
 · Limited quantities (LQ) · Excepted quantities (EQ) O Code: E3 Maximum net quantity per inner packaging: 30 ml 	· <i>IMDG</i>	
• Excepted quantities (EQ) Code: E3 Maximum net quantity per inner packaging: 30 ml		0
Maximum net quantity per inner packaging: 30 ml		Code: E3
· UN ''Model Regulation'': UN 1089 ACETALDEHYDE SOLUTION, 3, I	· UN "Model Regulation":	UN 1089 ACETALDEHYDE SOLUTION. 3. I

Printing date 09/06/2018 Reviewed on 09/06/2018

Trade name: Acetaldehyde 40% v/v in Ultra-Pure Water

(Contd. of page 8)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 75-07-0 Acetaldehyde, Reagent ACS Grade

· TSCA (Toxic Substances Control Act):

Acetaldehyde, Reagent ACS Grade

Water

· Proposition 65

· Chemicals known to cause cancer:

CAS: 75-07-0 Acetaldehyde, Reagent ACS Grade

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

CAS: 75-07-0 Acetaldehyde, Reagent ACS Grade

*B*2

· TLV (Threshold Limit Value established by ACGIH)

CAS: 75-07-0 Acetaldehyde, Reagent ACS Grade

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 75-07-0 Acetaldehyde, Reagent ACS Grade

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Acetaldehyde, Reagent ACS Grade

· Hazard statements

Extremely flammable liquid and vapor.

Harmful if swallowed.

Causes serious eye irritation.

Suspected of causing cancer.

May cause respiratory irritation.

· Precautionary statements

Obtain special instructions before use.

(Contd. on page 10)

Printing date 09/06/2018 Reviewed on 09/06/2018

Trade name: Acetaldehyde 40% v/v in Ultra-Pure Water

(Contd. of page 9)

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

Revsion 0.0, 09-06-2018: Creation date for SDS. STN

09/06/2018 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

(Contd. on page 11)

Printing date 09/06/2018 Reviewed on 09/06/2018

Trade name: Acetaldehyde 40% v/v in Ultra-Pure Water

(Contd. of page 10)

REL: Recommended Exposure Limit Flam. Liq. 1: Flammable liquids - Category 1 Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Carc. 2: Carcinogenicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3