Printing date 06/05/2024 Reviewed on 06/05/2024

1 Identification

· Product identifier

· Trade name: Manganese Chips, 99%

· Article number: M0911

• CAS Number: 7439-96-5 • EC number: 231-105-1

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536

USA

800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number:

Chemtrec: 800-424-9300 Canutec: 613-996-6666



### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Substances and mixtures which, in contact with water, emit flammable gases 1 H260 In contact with water releases flammable gases, which may ignite spontaneously.

- · Label elements
- GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS02

- · Signal word Danger
- · Hazard statements

In contact with water releases flammable gases, which may ignite spontaneously.

· Precautionary statements

Do not allow contact with water.

Handle under inert gas. Protect from moisture.

Wear protective gloves/protective clothing/eye protection/face protection.

Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a dry place. Store in a closed container.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/05/2024 Reviewed on 06/05/2024

Trade name: Manganese Chips, 99%

· Classification system:

· NFPA ratings (scale 0 - 4)



The substance demonstrates unusual reactivity with water.

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 7439-96-5 manganese
- · Identification number(s)
- · EC number: 231-105-1

#### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

HS

Printing date 06/05/2024 Reviewed on 06/05/2024

Trade name: Manganese Chips, 99%

(Contd. of page 2)

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- · Protective Action Criteria for Chemicals
- · PAC-1: 3 mg/m3
- · **PAC-2:** 5 mg/m<sup>3</sup>
- · PAC-3: 1,800 mg/m3

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

#### · Components with limit values that require monitoring at the workplace:

#### CAS: 7439-96-5 manganese

PEL Ceiling limit value: 5 mg/m<sup>3</sup>

as Mn

REL Short-term value: 3 mg/m<sup>3</sup>

Long-term value: 1 mg/m<sup>3</sup>

fume, as Mn

TLV | Long-term value: 0.02\* 0.1\*\* mg/m³

as Mn; A4, \*respirable \*\*inhalable fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 4)

Printing date 06/05/2024 Reviewed on 06/05/2024

Trade name: Manganese Chips, 99%

(Contd. of page 3)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Not required.
- · Body protection: Protective work clothing

Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Powder
Color:	Grey
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	1,244 °C (34.244 °F)
Boiling point/Boiling range:	1,962 °C (35.562 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Product is not flammable.
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Danger of explosion:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	0 hPa
Density at 20 °C (68 °F):	7.43 g/cm³ (62.00335 lbs/gal)
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Not determined.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not applicable.

Printing date 06/05/2024 Reviewed on 06/05/2024

Trade name: Manganese Chips, 99%

(Contd. of page 4)

### 10 Stability and reactivity

- $\cdot \textit{Reactivity} \ \textit{No further relevant information available}.$
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Printing date 06/05/2024 Reviewed on 06/05/2024

Trade name: Manganese Chips, 99%

(Contd. of page 5)

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

Transport information	
· UN-Number · DOT, IMDG, IATA	UN3208
<ul><li>· UN proper shipping name</li><li>· DOT</li><li>· IMDG, IATA</li></ul>	Metallic substance, water-reactive, n.o.s. (manganese) METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S. (manganese
· Transport hazard class(es)	
- DOT  AMERICAS ST	
· Class · Label	4.3 Substances which, in contact with water, emit flammable gases 4.3
· Class	4.3 Substances which, in contact with water, emit flammable gases 4.3
· Packing group · DOT, IMDG, IATA	I
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Substances which, in contact with water, emit flammabl gases
· Poison inhalation hazard:	No
· EMS Number:	<u>F-G</u> ,S-N
· Stowage Category	E CHARLES OF THE CONTRACTOR OF
· Stowage Code	SW2 Clear of living quarters.
· Handling Code · Segregation Code	H1 Keep as dry as reasonably practicable SG26 In addition: from goods of classes 2.1 and 3 when stowed o
· Segregation Code	deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships
	distance of 6 m athwartship shall be maintained.
· Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	distance of 6 m athwartship shall be maintained.

Printing date 06/05/2024 Reviewed on 06/05/2024

Trade name: Manganese Chips, 99%

(Contd. of page 6)

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) D
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Danger · Hazard statements

In contact with water releases flammable gases, which may ignite spontaneously.

· Precautionary statements

Do not allow contact with water.

Handle under inert gas. Protect from moisture.

Wear protective gloves/protective clothing/eye protection/face protection.

Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a dry place. Store in a closed container.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 06/05/2024: Reviewed SDS for accuracy. MH/STN

Revision 0.0, 05-29-2024: Creation date for SDS. STN

06/05/2024

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

 $DOT: \ US \ Department \ of \ Transportation$ 

(Contd. on page 8)

(Contd. of page 7)

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/05/2024 Reviewed on 06/05/2024

Trade name: Manganese Chips, 99%

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

 $Substances\ and\ mixtures\ which,\ in\ contact\ with\ water,\ emit\ flammable\ gases\ 1:\ Substances\ and\ mixtures\ which\ in\ contact\ with\ water\ emit\ flammable\ gases\ 1:\ Substances\ and\ mixtures\ which\ in\ contact\ with\ water\ emit\ flammable\ gases\ 1:\ Substances\ and\ mixtures\ which\ in\ contact\ with\ water\ emit\ flammable\ gases\ 1:\ Substances\ and\ mixtures\ which\ in\ contact\ with\ water\ emit\ flammable\ gases\ 1:\ Substances\ and\ mixtures\ which\ in\ contact\ with\ water\ emit\ flammable\ gases\ 1:\ Substances\ and\ mixtures\ which\ in\ contact\ with\ water\ emit\ flammable\ gases\ 1:\ Substances\ and\ mixtures\ which\ in\ contact\ with\ water\ emit\ flammable\ gases\ 1:\ Substances\ and\ mixtures\ which\ in\ contact\ with\ water\ emit\ flammable\ gases\ 1:\ Substances\ and\ mixtures\ which\ in\ contact\ with\ water\ emit\ flammable\ gases\ 1:\ Substances\ and\ mixtures\ which\ in\ contact\ with\ water\ emit\ flammable\ gases\ 1:\ Substances\ and\ mixtures\ which\ in\ contact\ with\ water\ emit\ flammable\ gases\ 1:\ Substances\ and\ mixtures\ which\ in\ contact\ with\ water\ emit\ flammable\ gases\ 1:\ Substances\ and\ mixtures\ which\ in\ contact\ with\ water\ emit\ flammable\ gases\ 1:\ Substances\ and\ mixtures\ which\ in\ contact\ with\ water\ emit\ flammable\ gases\ 1:\ Substances\ and\ mixtures\ which\ in\ contact\ with\ water\ emit\ flammable\ gases\ 1:\ Substances\ gases\ gases\$ 

flammable gases – Category 1

TIC

<sup>\* \*</sup> Data compared to the previous version altered.