Printing date 08/16/2024 Reviewed on 08/16/2024

1 Identification

· Product identifier

· Trade name: HF Calibration Standard #2

(1.0 ppm)

· Article number: HON102

· Details of the supplier of the safety data sheet

Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number:

Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

Nitric Acid

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

(Contd. on page 2)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: HF Calibration Standard #2

(1.0 ppm)

(Contd. of page 1)

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



3 Health = 3Fire = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

CAS: 7697-37-2 Nitric Acid	<2.364%
Table of Nonhazardous Ingredients	
CAS: 7732-18-5 Water	100.0%
CAS: 1336-21-6 Ammonium Hydroxide	<0.496%
CAS: 7784-27-2 Aluminum Nitrate	<0.007%
CAS: 10043-35-3 boric acid	<0.003%
CAS: 16919-19-0 Ammonium hexafluorosilicate	<0.003%
CAS: 13477-34-4 Calcium Nitrate Tetrahydrate	<0.003%
CAS: 12060-08-1 scandium oxide	<0.002%
CAS: 6156-78-1 Manganese Acetate Tetrahydrate	<0.002%
CAS: 7783-28-0 Ammonium Phosphate Dibasic	<0.002%
CAS: 7783-20-2 Ammonium Sulfate	<0.002%
CAS: 7631-99-4 Sodium Nitrate	<0.002%
CAS: 7757-79-1 Potassium Nitrate	<0.001%
CAS: 10099-74-8 Lead Nitrate	<0.001%
CAS: 7439-89-6	<0.001%
CAS: 7439-95-4 Magnesium	<0.0005%
CAS: 7440-38-2 arsenic	<0.0005%
CAS: 12054-85-2 Ammonium Molybdate Tetrahydrate ACS Grade	<0.001%

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: HF Calibration Standard #2

(1.0 ppm)

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 1336-21-6	Ammonium Hydroxide	61 ppm
CAS: 7784-27-2	Aluminum Nitrate	83 mg/m³
CAS: 10043-35-3 [boric acid	6 mg/m³
		Contd. on page 4)

110

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: HF Calibration Standard #2 (1.0 ppm)

CAS: 16010 10 0	Ammonium hexafluorosilicate	(Contd. of page 12 mg/m³
	Calcium Nitrate Tetrahydrate	=
CAS: 134//-34-4 CAS: 12060-08-1	· · · · · · · · · · · · · · · · · · ·	$\frac{12 \text{ mg/m}^3}{30 \text{ mg/m}^3}$
CAS: 6156-78-1 CAS: 7783-28-0	Manganese Acetate Tetrahydrate	13 mg/m^3
	Ammonium Phosphate Dibasic	20 mg/m^3
CAS: 7783-20-2	Ammonium Sulfate	13 mg/m ³
CAS: 7631-99-4	Sodium Nitrate	4.1 mg/m^3
CAS: 7757-79-1	Potassium Nitrate	9 mg/m^3
CAS: 10099-74-8		0.24 mg/m
CAS: 7439-89-6	Iron Metal	3.2 mg/m^3
CAS: 7439-95-4	Magnesium	18 mg/m³
CAS: 7440-38-2	arsenic	1.5 mg/m^3
CAS: 12054-85-2	Ammonium Molybdate Tetrahydrate ACS Grade	2.8 mg/m ³
<i>PAC-2</i> :		
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 1336-21-6	Ammonium Hydroxide	160 ppm
CAS: 7784-27-2	Aluminum Nitrate	920 mg/m
CAS: 10043-35-3	boric acid	23 mg/m³
CAS: 16919-19-0	Ammonium hexafluorosilicate	130 mg/m
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	130 mg/m
CAS: 12060-08-1	scandium oxide	330 mg/m
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	22 mg/m ³
CAS: 7783-28-0	Ammonium Phosphate Dibasic	39 ppm
CAS: 7783-20-2	Ammonium Sulfate	99 mg/m3
CAS: 7631-99-4	Sodium Nitrate	45 mg/m ³
CAS: 7757-79-1	Potassium Nitrate	100 mg/m
CAS: 10099-74-8	Lead Nitrate	180 mg/m
CAS: 7439-89-6	Iron Metal	35 mg/m^3
CAS: 7439-95-4	Magnesium	200 mg/m
CAS: 7440-38-2	arsenic	17 mg/m^3
	Ammonium Molybdate Tetrahydrate ACS Grade	30 mg/m^3
<i>PAC-3</i> :		1
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 1336-21-6	Ammonium Hydroxide	1100 ppm
CAS: 7784-27-2	Aluminum Nitrate	5,500 mg/m
CAS: 10043-35-3		830 mg/m ³
CAS: 10043-33-3		780 mg/m ³
	v	$\frac{780 \text{ mg/m}^3}{770 \text{ mg/m}^3}$
	Calcium Nitrate Tetrahydrate	2,000 mg/m ³
CAS: 12060-08-1		
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	740 mg/m^3
CAS: 7783-28-0	Ammonium Phosphate Dibasic	240 ppm
CAS: 7783-20-2	Ammonium Sulfate	<i>590 mg/m3</i> (Contd. on page

Reviewed on 08/16/2024 Printing date 08/16/2024

Trade name: HF Calibration Standard #2

(1.0 ppm)

CAS 7(21.00.4		(Contd. of page 4)
01201 / 001 / /	Sodium Nitrate Potassium Nitrate	270 mg/m^3
CAS: 1/099-74-8		600 mg/m^3 $1,100 \text{ mg/m}^3$
	Iron Metal	$\frac{1,100 \text{ mg/m}}{150 \text{ mg/m}^3}$
	Magnesium	$1,200 \text{ mg/m}^3$
	arsenic	100 mg/m^3
CAS: 12054-85-2	Ammonium Molybdate Tetrahydrate ACS Grade	180 mg/m^3

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with	limit values th	at require mon	itoring at th	e workplace:
-------------------	-----------------	----------------	---------------	--------------

4 ppm

C1 10.	7077 07 2111111011011
PEL	Long-term value: 5 mg/m³, 2 ppm
REL	Short-term value: 10 mg/m³, 4 ppn

CAS: 7697-37-2 Nitric Acid

Long-term value: 5 mg/m³, 2 ppm TLV Short-term value: (4) NIC-0.025 ppm

Long-term value: (2) ppm

NIC-A4

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 6)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: HF Calibration Standard #2

(1.0 ppm)

(Contd. of page 5)

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and o	chemical properties	
General Information		
Appearance:	I::J	
Form: Color:	Liquid Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	<2	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	

(Contd. on page 7)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: HF Calibration Standard #2

(1.0 ppm)

		(Contd. of page
Density at 20 °C (68 °F):	1.01031 g/cm³ (8.43104 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/w	pater): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	100.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h >127 mg/l

- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

(Contd. on page 8)

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: HF Calibration Standard #2 (1.0 ppm)

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

,	nal Agency for Research on Cancer)	
CAS: 10099-74-8	Lead Nitrate	2A
CAS: 7440-38-2	arsenic	1
,	oxicology Program)	
CAS: 10099-74-8	Lead Nitrate	R
CAS: 7440-38-2	arsenic	K
· OSHA-Ca (Occup	oational Safety & Health Administration)	
CAS: 7440-38-2	arsenic	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

UN3264

(Contd. on page 9)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: HF Calibration Standard #2 (1.0 ppm)

	(Contd. of page
UN proper shipping name DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitri
· IMDG, IATA	Acid)
Transport hazard class(es)	
DOT	
CORROSIVE	
8	
Class	8 Corrosive substances
Label	8
· IMDG, IATA	
15 32 C	
Class	8 Corrosive substances
Label	8
Packing group DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code)	
EMS Number:	F-A,S-B
Segregation groups	(SGG1) Acids
· Stowage Category · Stowage Code	A SW2 Clear of living quarters.
Transport in bulk according to Annex II of	5/12 Cical of aving quarters.
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O (NITRIC ACID), 8, III

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: HF Calibration Standard #2

(1.0 ppm)

(Contd. of page 9)

	environmental regulations/legislation specific for the subtring tinformation available.	bstance or mixture
Section 355 (extre	mely hazardous substances):	
CAS: 7697-37-2	litric Acid	
Section 313 (Spec	ific toxic chemical listings):	
CAS: 7697-37-2	•	
CAS: 1336-21-6	Ammonium Hydroxide	
CAS: 7784-27-2	Aluminum Nitrate	
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	
CAS: 7783-20-2	Ammonium Sulfate	
CAS: 7757-79-1	Potassium Nitrate	
CAS: 10099-74-8	Lead Nitrate	
CAS: 7440-38-2	arsenic	
TSCA (Toxic Sub	stances Control Act):	
Water		ACTI
Nitric Acid		ACTI
Ammonium Hydro	xide	ACTI
boric acid		ACTI
Ammonium hexafl	ıorosilicate	ACTI
scandium oxide		ACTI
Ammonium Phosp	hate Dibasic	ACTI
Ammonium Sulfat	!	ACTI
Sodium Nitrate		ACTI
Potassium Nitrate		ACTI
Lead Nitrate		ACTI
Iron Metal		ACTI
Magnesium		ACTI
arsenic		ACTI
Hazardous Air Po		
CAS: 10099-74-8	Lead Nitrate	
Proposition 65		
Chemicals known		
CAS: 10099-74-8	Lead Nitrate	
CAS: 7440-38-2	arsenic	
	to cause reproductive toxicity for females:	
None of the ingred	ients is listed.	
Chemicals known	to cause reproductive toxicity for males:	

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: HF Calibration Standard #2

(1.0 ppm)

(Contd. of page 10)

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)				
CAS: 10043-35-3		I (oral)		
CAS: 10099-74-8	Lead Nitrate	B2		
CAS: 7440-38-2	arsenic	A		
,	· TLV (Threshold Limit Value)			
CAS: 10043-35-3		A4		
CAS: 10099-74-8	Lead Nitrate	A3		
CAS: 7440-38-2	arsenic	Al		

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 7440-38-2 arsenic

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

Nitric Acid

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · **Department issuing SDS:** Environment protection department.
- · Contact:

(Contd. on page 12)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: HF Calibration Standard #2 (1.0 ppm)

(Contd. of page 11)

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 08-16-2024: Reviewed SDS for accuracy. STN/GW 08/16/2024 / 1.1

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1

* Data compared to the previous version altered.