Printing date 06/06/2024

\*

Reviewed on 06/06/2024

Identification	
· Product identifier	
• Trade name: <u>10.0 mg/L Elemental St</u> (Std #3)	tandard
• Article number: HON107	
• Details of the supplier of the safety de • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	ata sheet
· Information department:	
Technical Coordinator	diana ana
Sherman Nelson shermann@aquasoli • Emergency telephone number:	mons.org
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
GHS08 Health hazard Specific Target Organ Toxicity - Repe	eated Exposure 2 H373 May cause damage to organs through prolonged
	eated Exposure 2 H373 May cause damage to organs through prolonged repeated exposure.
Specific Target Organ Toxicity - Repe	
Specific Target Organ Toxicity - Repe	repeated exposure.
Specific Target Organ Toxicity - Repe GHS07 Skin Irritation 2 Eye Irritation 2A • Label elements	repeated exposure. H315 Causes skin irritation.
Specific Target Organ Toxicity - Repe GHS07 Skin Irritation 2 Eye Irritation 2A • Label elements • GHS label elements The product is cl	repeated exposure. H315 Causes skin irritation. H319 Causes serious eye irritation.
Specific Target Organ Toxicity - Repe GHS07 Skin Irritation 2 Eye Irritation 2A • Label elements • GHS label elements The product is cl	repeated exposure. H315 Causes skin irritation. H319 Causes serious eye irritation.
Specific Target Organ Toxicity - Repe GHS07 Skin Irritation 2 Eye Irritation 2A • Label elements • GHS label elements The product is cl • Hazard pictograms	repeated exposure. H315 Causes skin irritation. H319 Causes serious eye irritation.
Specific Target Organ Toxicity - Repe GHS07 Skin Irritation 2 Eye Irritation 2A • Label elements • GHS label elements The product is cl • Hazard pictograms GHS07 GHS08	repeated exposure. H315 Causes skin irritation. H319 Causes serious eye irritation. lassified and labeled according to the Globally Harmonized System (GHS
Specific Target Organ Toxicity - Reper Specific Target Organ Toxicity - Reper Skin Irritation 2 Eye Irritation 2A • Label elements • GHS label elements The product is cl • Hazard pictograms • GHS07 GHS08 • Signal word Warning • Hazard-determining components of l Hydrochloric Acid • Hazard statements Causes skin irritation. Causes serious eye irritation. May cause damage to organs through	repeated exposure. H315 Causes skin irritation. H319 Causes serious eye irritation. lassified and labeled according to the Globally Harmonized System (GHS
Specific Target Organ Toxicity - Repervision Specific Target Organ Toxicity - Repervision Skin Irritation 2 Eye Irritation 2A • Label elements • GHS label elements The product is cl • Hazard pictograms • GHS07 GHS08 • Signal word Warning • Hazard-determining components of l Hydrochloric Acid • Hazard statements Causes skin irritation. Causes serious eye irritation.	repeated exposure. H315 Causes skin irritation. H319 Causes serious eye irritation. lassified and labeled according to the Globally Harmonized System (GHS labeling:

US

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: 10.0 mg/L Elemental Standard (Std #3)

(Contd. of page 1) Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. Specific treatment (see on this label). If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4)

HEALTH2Health = \*2FIRE0Fire = 0REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

• Dangerous compo	onents:	
CAS: 7647-01-0	Hydrochloric Acid	2.5%
CAS: 7697-37-2	Nitric Acid	0.296%
• Table of Nonhaza	rdous Ingredients	
CAS: 7732-18-5	Water	97.183%
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	0.006%
CAS: 6834-92-0	Sodium Silicate, Meta	0.005%
CAS: 7783-20-2	Ammonium Sulfate	0.004%
CAS: 10099-74-8	Lead Nitrate	0.002%
CAS: 7439-89-6	Iron Metal	0.001%
CAS: 7440-36-0	Antimony Metal	0.001%
CAS: 7439-95-4	Magnesium	0.001%
CAS: 7439-97-6	Mercury	0.001%
CAS: 7440-38-2	arsenic	0.001%

(Contd. on page 3)

Printing date 06/06/2024

Reviewed on 06/06/2024

#### Trade name: 10.0 mg/L Elemental Standard (Std #3)

(Contd. of page 2)

#### 4 First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- · Environmental precautions: Dilute with plenty of water.
- $\cdot$  Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

#### • **Reference** to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### • Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
CAS: 7697-37-2 N	Nitric Acid	0.16 ppm
CAS: 13477-34-4 (	Calcium Nitrate Tetrahydrate	12 mg/m <sup>3</sup>
CAS: 6834-92-0 S	Sodium Silicate, Meta	3.8 mg/m <sup>3</sup>
CAS: 7783-20-2	Ammonium Sulfate	13 mg/m <sup>3</sup>
CAS: 10099-74-8 1	Lead Nitrate	$0.24 mg/m^3$
CAS: 7439-89-6 1	Iron Metal	3.2 mg/m <sup>3</sup>
CAS: 7440-36-0	Antimony Metal	1.5 mg/m <sup>3</sup>
·		(Contd. on page 4)

Printing date 06/06/2024

Reviewed on 06/06/2024

#### Trade name: 10.0 mg/L Elemental Standard (Std #3)

CAS: 7439-95-4	Magnesium	(Contd. of page 18 mg/m <sup>3</sup>
CAS: 7439-97-6	Mercury	0.15 mg/m
CAS: 7440-38-2	arsenic	1.5 mg/m <sup>3</sup>
CAS: 87-69-4	L-Tartaric Acid	1.6 mg/m <sup>3</sup>
PAC-2:		
CAS: 7647-01-0	Hydrochloric Acid	22 ppm
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	130 mg/m
CAS: 6834-92-0	Sodium Silicate, Meta	42 mg/m <sup>3</sup>
CAS: 7783-20-2	Ammonium Sulfate	140 mg/m
CAS: 10099-74-8	Lead Nitrate	180 mg/m
CAS: 7439-89-6	Iron Metal	35 mg/m <sup>3</sup>
CAS: 7440-36-0	Antimony Metal	13 mg/m <sup>3</sup>
CAS: 7439-95-4	Magnesium	200 mg/m
CAS: 7439-97-6	Mercury	1.7 mg/m <sup>3</sup>
CAS: 7440-38-2	arsenic	17 mg/m <sup>3</sup>
CAS: 87-69-4	L-Tartaric Acid	17 mg/m <sup>3</sup>
PAC-3:		<u>.</u>
CAS: 7647-01-0	Hydrochloric Acid	100 ppm
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	770 mg/m <sup>3</sup>
CAS: 6834-92-0	Sodium Silicate, Meta	250 mg/m <sup>3</sup>
CAS: 7783-20-2	Ammonium Sulfate	840 mg/m <sup>3</sup>
CAS: 10099-74-8	Lead Nitrate	1,100 mg/m
CAS: 7439-89-6	Iron Metal	150 mg/m <sup>3</sup>
CAS: 7440-36-0	Antimony Metal	80 mg/m <sup>3</sup>
CAS: 7439-95-4	Magnesium	1,200 mg/m
CAS: 7439-97-6	Mercury	8.9 mg/m <sup>3</sup>
CAS: 7440-38-2	arsenic	100 mg/m <sup>3</sup>
CAS: 87-69-4	L-Tartaric Acid	100 mg/m <sup>3</sup>

# 7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 5)

<sup>----</sup>US

(Contd. of page 4)

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: 10.0 mg/L Elemental Standard (Std #3)

• *Specific end use(s) No further relevant information available.* 

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:		
CAS: 7647-01-0 Hydrochloric Acid		
NIOSH RECOMENDED EXP LIMI Ceiling limit value: 7.0 mg/m3 mg/m3		
PEL	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm	
REL	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm	
TLV Ceiling limit value: 2 ppm		
	A4	
CAS: 7697-37-2 Nitric Acid		
PEL	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm	
REL Short-term value: 10 mg/m <sup>3</sup> , 4 ppm		
Long-term value: 5 mg/m <sup>3</sup> , 2 ppm		
TLV	Short-term value: (4) NIC-0.025* ppm	
	Long-term value: (2) ppm	
	*inh. fraction + vapor, NIC-A4	

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

US

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: 10.0 mg/L Elemental Standard (Std #3)

(Contd. of page 5)

• Eye protection:



\*

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance:	x···1	
Form:	Liquid	
Color:	Colorless	
Odor:	Odorless Not determined.	
Odor threshold:		
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.00583 g/cm <sup>3</sup> (8.39365 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	<b>r</b> ): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	97.2 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	

Printing date 06/06/2024

Reviewed on 06/06/2024

(Contd. of page 6)

Trade name:	10.0	mg/L	Elemental	Standard
	1041	#2)		

(Std #3)

Solids content:

· Other information

No further relevant information available.

## **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

0.0 %

# **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 1,014 mg/l

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

•	nal Agency for Research on Cancer)	
CAS: 10099-74-8	Lead Nitrate	2A
CAS: 7439-97-6	Mercury	3
CAS: 7440-38-2	arsenic	1
•	oxicology Program)	
CAS: 10099-74-8	Lead Nitrate	R
CAS: 7440-38-2	arsenic	K
· OSHA-Ca (Occup	pational Safety & Health Administration)	
CAS: 7440-38-2 d	arsenic	

# **12** Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 8)

US

Printing date 06/06/2024

Reviewed on 06/06/2024

#### Trade name: 10.0 mg/L Elemental Standard (Std #3)

(Contd. of page 7)

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- $\cdot$  Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

· Waste treatment methods

- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

#### **14 Transport information**

· UN-Number · DOT, ADN, IMDG, IATA	Not regulated
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	Not regulated
· Packing group · DOT, IMDG, IATA	Not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	l of Not applicable.
· UN "Model Regulation":	Not regulated

#### **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

CAS: 7697-37-2 Nitric Acid

(Contd. on page 9)

US

Printing date 06/06/2024

Reviewed on 06/06/2024

# Trade name: 10.0 mg/L Elemental Standard (Std #3)

Section 212 (Snac	fic toxic chemical listings):	(Contd. of pag
-	Nitric Acid	
	Calcium Nitrate Tetrahydrate	
	Ammonium Sulfate	
CAS: 10099-74-8		
	Antimony Metal	
	Mercury	
	arsenic	
	tances Control Act):	
Water	untes Comroi Aci).	ACTIV
Hydrochloric Acid		ACTIV
Nitric Acid		ACTIV
Sodium Silicate, M	ata .	ACTIV
Ammonium Sulfate		ACTIV
Lead Nitrate		ACTIV
Iron Metal		ACTIV
Antimony Metal		ACTIV
Magnesium		ACTIV
Mercury		ACTIV
arsenic		ACTIV
L-Tartaric Acid		ACTIV
Hazardous Air Po	Ilutants	
-	Hydrochloric Acid	
CAS: 10099-74-8	•	
Proposition 65		
Chemicals known	to cause cancer.	
CAS: 10099-74-8		
	arsenic	
	to cause reproductive toxicity for females:	
None of the ingred		
v 0		
	to cause reproductive toxicity for males:	
None of the ingred		
	to cause developmental toxicity:	
CAS: 7439-97-6	Iercury	
Carcinogenic cate	gories	
EPA (Environmen	tal Protection Agency)	
CAS: 10099-74-8	Lead Nitrate	1
CAS: 7439-97-6	Mercury	1
CAS: 7440-38-2	arsenic	ľ
TLV (Threshold L	imit Value)	
CAS: 10099-74-8		ŀ
	Mercury	 /
	~	(Contd. on page

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: 10.0 mg/L Elemental Standard (Std #3)

	(Contd. of page
CAS: 7440-38-2 arsenic	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
CAS: 7440-38-2 arsenic	
• <b>GHS label elements</b> The product is classified and labeled according to the Globe • <b>Hazard pictograms</b>	ally Harmonized System (GHS).
GHS07 GHS08	
Signal word Warning	
Hazard-determining components of labeling:	
Hydrochloric Acid	
Hazard statements	
Causes skin irritation.	
Causes serious eye irritation.	
May cause damage to organs through prolonged or repeated exposure.	
Precautionary statements	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Wear protective gloves / eye protection / face protection.	
If on skin: Wash with plenty of water.	
Specific treatment (see on this label).	
If in eyes: Rinse cautiously with water for several minutes. Remove contact l	enses, if present and easy to d
Continue rinsing.	
Get medical advice/attention if you feel unwell.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
Dispose of contents/container in accordance with local/regional/national/internal	ational regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried	

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

 Date of preparation / last revision Revision 1.2, 06/05/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-29-2024: Creation date for SDS. STN 06/06/2024
 Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

(Contd. on page 11)

Printing date 06/06/2024

Reviewed on 06/06/2024

#### Trade name: 10.0 mg/L Elemental Standard (Std #3)

(Contd. of page 10)

HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Irritation 2: Skin corrosion/irritation – Category 2
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2
\* Data compared to the previous version altered.