Safety Data Sheet acc. to OSHA HCS

Printing date 06/06/2024

*

Reviewed on 06/06/2024

Identification	
Product identifier	
Trade name: <u>Chromic Acid</u> <u>Cleaning Solution</u>	
Article number: SPX754	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	
GHS06 Skull and crossbones	
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
GHS08 Health hazard	
Sensitization - Respiratory 1	H334 May cause allergy or asthma symptoms or breathin difficulties if inhaled.
Germ Cell Mutagenicity 1B	H340 May cause genetic defects.
Carcinogenicity 1A	H350 May cause cancer.
Toxic to Reproduction 2	H361 Suspected of damaging fertility or the unborn child.
GHS05 Corrosion	
Skin Corrosion 1A	H314 Causes severe skin burns and eye damage.
Eye Damage 1	H318 Causes serious eye damage.
GHS07	
Sensitization - Skin 1	H317 May cause an allergic skin reaction.
Specific Target Organ Toxicity - Single Exposur	e 3 H335 May cause respiratory irritation.
Label elements	d labeled according to the Globally Harmonized System (GHS)

Printing date 06/06/2024

Trade name: Chromic Acid Cleaning Solution Reviewed on 06/06/2024

(Contd. of page 1)



Printing date 06/06/2024

Trade name: Chromic Acid Cleaning Solution Reviewed on 06/06/2024

(Contd. of page 2)

93.87% 0.5%

5.63%

· HMIS-ratings (scale 0 - 4)

HEALTH*3Health =
$$*3$$
FIRE0Fire = 0REACTIVITY0Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

CAS: 1333-82-0	Chromium (VI	Orida 00 0%
CAS: 1555-62-0	Chromium (VI)	1 Oxiae 99.9%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

- · Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.
- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:
- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 06/06/2024

*

Trade name: Chromic Acid Cleaning Solution Reviewed on 06/06/2024

(Contd. of page 3)

Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
Environmental precautions:	
Do not allow product to reach sewage system or any water course.	
Inform respective authorities in case of seepage into water course or sewage system.	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information. Protective Action Criteria for Chemicals	
PAC-1:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	0.20 mg/r
CAS: 1333-82-0 Chromium (VI) Oxide 99.9%	0.29 mg/r
PAC-2:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	8.7 mg/r
CAS, 1222, 92, 0, Characteristic (VII) Original 00, 007	5 mg/m ³
CAS: 1333-82-0 Chromium (VI) Oxide 99.9%	
PAC-3:	
	160 mg/n

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

(Contd. on page 5)

Printing date 06/06/2024

*

Trade name: Chromic Acid Cleaning Solution Reviewed on 06/06/2024

(Contd. of page 4)

8 Expos	sure controls/personal protection
· Additio	onal information about design of technical systems: No further data; see section 7.
· Contro	l parameters
-	onents with limit values that require monitoring at the workplace:
	7664-93-9 Sulfuric Acid 96 - 98%
	ong-term value: 1 mg/m ³
1 1	ong-term value: 1 mg/m ³
	$cong-term value: 0.2* mg/m^3$
	as thoracic fraction, A2
	1333-82-0 Chromium (VI) Oxide 99.9%
	ong-term value: 0.005* mg/m ³ Ceiling limit value: 0.1** mg/m ³
	<i>ias Cr(VI) **as CrO3; see 29 CFR 1910.1026</i>
REL L	ong-term value: 0.0002 mg/m ³
a	s Cr; See Pocket Guide Apps. A and C
	hort-term value: 0.0005 mg/m ³
	$Long-term value: 0.0002 mg/m^3$
	s Cr(VI); A1;inhalable, Skin;BEI, DSEN, RSEN
-	ients with biological limit values:
	1333-82-0 Chromium (VI) Oxide 99.9%
BEI 25	
	D50 Intraperitoneal: urine ime: end of shift at end of workweek
	D50: Total chromium (fume)
	$0 \mu g/L$
	D50 Intraperitoneal: urine ime: increase during shift
	D50: Total chromium (fume)
	conal information: The lists that were valid during the creation were used as basis.
	ure controls
	al protective equipment:
· Genera	al protective and hygienic measures:
	way from foodstuffs, beverages and feed.
	iately remove all soiled and contaminated clothing. hands before breaks and at the end of work.
	vortective clothing separately.
	contact with the eyes.
	contact with the eyes and skin.
	ing equipment:
	e of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use atory protective device that is independent of circulating air.
	tion of hands:
all b	·
1112	Protective gloves

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Chromic Acid **Cleaning Solution**

(Contd. of page 5)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Brown	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	<2	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	>0 hPa	
Density at 20 °C (68 °F):	1.79701 g/cm ³ (14.99605 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Chromic Acid Cleaning Solution

		(Contd. of page
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octan	ol/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	5.6 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.5 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

-	-	
Oral	LD50	20,000 mg/kg
Dermal	LD50	60,000 mg/kg
Inhalative	LC50/4h	10 mg/l

· Primary irritant effect:

- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic Harmful

Corrosive

(Contd. on page 8)

US

(Contd. of page 7)

1

1

K

K

Safety Data Sheet acc. to OSHA HCS

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Chromic Acid

Cleaning Solution

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The product can cause inheritable damage.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

CAS: 1333-82-0 Chromium (VI) Oxide 99.9%

· NTP (National Toxicology Program)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

CAS: 1333-82-0 Chromium (VI) Oxide 99.9%

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 9)

Printing date 06/06/2024

*

Reviewed on 06/06/2024

Trade name: Chromic Acid Cleaning Solution

(Contd. of page 8)

US

UN-Number DOT, IMDG, IATA	UN3264
UN proper shipping name DOT IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulft Acid)
Transport hazard class(es)	
DOT	
corrosive 8 Class	8 Corrosive substances
Label	8
IMDG, IATA	8 Company autotanoos
Class Label	8 <i>Corrosive substances</i> 8
Packing group DOT, IMDG, IATA	11
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler coa EMS Number: Segregation groups Stowage Category Stowage Code	Warning: Corrosive substances le): 80 F-A,S-B (SGG1) Acids E SW15 For metal drums, stowage category B.
Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	f Not applicable.
Transport/Additional information: DOT Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Chromic Acid Cleaning Solution

(Contd. of page 9)

· UN "Model Regulation":

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULFURIC ACID), 8, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	
· Section 313 (Specific toxic chemical listings):	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	
CAS: 1333-82-0 Chromium (VI) Oxide 99.9%	
· TSCA (Toxic Substances Control Act):	
Sulfuric Acid 96 - 98%	ACTIVE
Water	ACTIVE
Chromium (VI) Oxide 99.9%	ACTIVE
· Hazardous Air Pollutants	
CAS: 1333-82-0 Chromium (VI) Oxide 99.9%	
· Proposition 65	
· Chemicals known to cause cancer:	
CAS: 1333-82-0 Chromium (VI) Oxide 99.9%	
· Chemicals known to cause reproductive toxicity for females:	
CAS: 1333-82-0 Chromium (VI) Oxide 99.9%	
• Chemicals known to cause reproductive toxicity for males:	
CAS: 1333-82-0 Chromium (VI) Oxide 99.9%	
· Chemicals known to cause developmental toxicity:	
CAS: 1333-82-0 Chromium (VI) Oxide 99.9%	
. Carcinogenic categories	

· Carcinogenic categories

· EPA (Environmental Protection Agency)CAS: 1333-82-0Chromium (VI) Oxide 99.9%

A(inh), D(oral), K/L(inh), CBD(oral)

• TLV (Threshold Limit Value)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

CAS: 1333-82-0 Chromium (VI) Oxide 99.9%

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 1333-82-0 Chromium (VI) Oxide 99.9%

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



A2

A1

Printing date 06/06/2024

Trade name: Chromic Acid Cleaning Solution

Reviewed on 06/06/2024

(Contd. of page 10) · Signal word Danger · Hazard-determining components of labeling: Sulfuric Acid 96 - 98% Chromium (VI) Oxide 99.9% · Hazard statements Toxic if inhaled. Causes severe skin burns and eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause genetic defects. May cause cancer. Suspected of damaging fertility or the unborn child. May cause respiratory irritation. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. If experiencing respiratory symptoms: Call a poison center/doctor. Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of Preparation / Last Revision:
- Date of preparation / last revision

Revision 1.2, 06/05/2024: Reviewed SDS for accuracy. MH/STN

(Contd. on page 12)

US

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Chromic Acid Cleaning Solution

	(Contd. of page 11
Revision 0.0, 05-29-2024: Creation date for SDS. STN	
06/06/2024	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINECS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal concentration, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Acute Toxicity - Inhalation 3: Acute toxicity – Category 3	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Sensitization - Respiratory 1: Respiratory sensitisation - Category 1	
Sensitization - Skin 1: Skin sensitisation - Category 1	
Germ Cell Mutagenicity 1B: Germ cell mutagenicity – Category 1B	
Carcinogenicity IA: Carcinogenicity – Category IA	
Toxic to Reproduction 2: Reproductive toxicity – Category 2	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	
* Data compared to the previous version altered.	